

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"766752".ap.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:29
L2	482	wound with closure and chronic with ulcer	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:36
L3	43	wound with closure same chronic with ulcer	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:36
L4	0	wound with closure same chronic with ulcer and 530/350.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:36
L5	4	wound with closure same chronic with ulcer and 514/12.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:37
L6	1	wound with closure same chronic with ulcer and 514/13.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:37
L7	0	wound with closure same chronic with ulcer and 514/14.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:37
L8	0	wound with closure same chronic with ulcer and 514/17.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/12/01 10:37
S1	2	"6146824".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 14:50
S2	0	"6146824".pn. and skin with ulcer	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 14:50
S3	1	"6146824".pn. and healing	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:05
S4	1	"6146824".pn. and healing and treatment	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:12

S5	1	"6146824".pn. and healing and treatment and administering	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:42
S6	0	"6146824".pn. and healing and treatment and administering and contacting	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:05
S7	0	"6146824".pn. and healing and treatment and administering and ulcer	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:12
S8	2	"6184341".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:14
S9	0	"6184341".pn. and ulcer	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:13
S10	5727	"6184341".pn. healing and treatment and administering and contacting	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:13
S11	0	"6184341".pn. and healing and treatment and administering and contacting	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:13
S12	0	"6184341".pn. and healing and treatment and administering	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:14
S13	0	"6184342".pn. and healing and treatment and administering	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:14
S14	2	"6184342".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:14
S15	0	"09644038".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:16
S16	3	"6602978".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:16

S17	0	"6602978".pn. and dermal	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:17
S18	2	"6602978".pn. and wound with healing	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:19
S19	0	"6602978".pn. and wound with healing and treatment and administering and ulcer	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:19
S20	0	"6602978".pn. and wound with healing and treatment and administering	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:19
S21	0	"6602978".pn. and wound with healing and administering	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 15:20
S22	0	"09777328".ap.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:05
S23	5	"777328".ap.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:05
S24	3	"6602978".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:09
S25	0	"09904090".ap.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:20
S26	4	"904090".ap.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:20
S27	1	"6146824".pn. and healing and treatment and administering and wound	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:42
S28	2	"6627731".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:48

S29	2	"6627731".pn. and wound	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/04 16:48
-----	---	-------------------------	--	----	----	------------------

L2 QUE CHRONIC (W) SKIN (W) ULCER AND ADMISITERING

=> chronic (w) skin (w) ulcer and administering

2 FILE CAPLUS
27 FILES SEARCHED...
3 FILE IFIPAT
1 FILE PROMT
62 FILES SEARCHED...
77 FILE USPATFULL
8 FILE USPAT2
6 FILE WPIDS
6 FILE WPINDEX

7 FILES HAVE ONE OR MORE ANSWERS, 74 FILES SEARCHED IN STNINDEX

L3 QUE CHRONIC (W) SKIN (W) ULCER AND ADMINISTERING

=> chronic (w) skin (w) ulcer and treatment

1 FILE ADISINSIGHT
1 FILE ADISNEWS
3 FILE BIOBUSINESS
2 FILE BIOCOMMERCE
28 FILE BIOSIS
5 FILE BIOTECHNO
2 FILE CABA
5 FILE CANCERLIT
7 FILE CAPLUS
3 FILE CEABA-VTB
1 FILE CEN
9 FILE CIN
4 FILE DDFB
1 FILE DDFU
36 FILE DGENE
27 FILES SEARCHED...
1 FILE DISSABS
4 FILE DRUGB
4 FILE DRUGU
1 FILE EMBAL
37 FILE EMBASE
6 FILE ESBIOBASE
5 FILE FEDRIP
9 FILE IFIPAT
4 FILE IMSDRUGNEWS
5 FILE IMSRESEARCH
8 FILE JICST-EPLUS
1 FILE LIFESCI
44 FILE MEDLINE
13 FILE PASCAL

54 FILES SEARCHED...
2 FILE PHAR
8 FILE PHARMAML
27 FILE PHIN
101 FILE PROMT
19 FILE SCISEARCH
8 FILE TOXCENTER
126 FILE USPATFULL
11 FILE USPAT2
1 FILE VETU
23 FILE WPIDS
23 FILE WPINDEX

40 FILES HAVE ONE OR MORE ANSWERS, 74 FILES SEARCHED IN STNINDEX

L4 QUE CHRONIC (W) SKIN (W) ULCER AND TREATMENT

=> d rank

F1	126	USPATFULL
F2	101	PROMT
F3	44	MEDLINE
F4	37	EMBASE
F5	36	DGENE
F6	28	BIOSIS
F7	27	PHIN
F8	23	WPIDS
F9	23	WPINDEX
F10	19	SCISEARCH
F11	13	PASCAL
F12	11	USPAT2
F13	9	CIN
F14	9	IFIPAT
F15	8	JICST-EPLUS
F16	8	PHARMAML
F17	8	TOXCENTER
F18	7	CAPLUS
F19	6	ESBIOBASE
F20	5	BIOTECHNO
F21	5	CANCERLIT
F22	5	FEDRIP
F23	5	IMSRESEARCH
F24	4	DDFB
F25	4	DRUGB
F26	4	DRUGU
F27	4	IMSDRUGNEWS
F28	3	BIOBUSINESS
F29	3	CEABA-VTB
F30	2	BIOCOMMERCE
F31	2	CABA
F32	2	PHAR
F33	1	ADISINSIGHT
F34	1	ADISNEWS
F35	1	CEN
F36	1	DDFU
F37	1	DISSABS
F38	1	EMBAL
F39	1	LIFESCI
F40	1	VETU

=> file medline biosis caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	7.08	7.88

FILE 'MEDLINE' ENTERED AT 11:28:19 ON 01 DEC 2005

FILE 'BIOSIS' ENTERED AT 11:28:19 ON 01 DEC 2005
Copyright (c) 2005 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 11:28:19 ON 01 DEC 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

=> chronic (w) skin (w) ulcer and treatment
L5 79 CHRONIC (W) SKIN (W) ULCER AND TREATMENT

=> dup remove
ENTER L# LIST OR (END):15

PROCESSING COMPLETED FOR L5

L6 60 DUP REMOVE L5 (19 DUPLICATES REMOVED)

=> chronic (w) skin (w) ulcer and treatment and peptide

L7 6 CHRONIC (W) SKIN (W) ULCER AND TREATMENT AND PEPTIDE

=> d ti 1-6

L7 ANSWER 1 OF 6 MEDLINE on STN

TI Progranulin is a mediator of the wound response.

L7 ANSWER 2 OF 6 MEDLINE on STN

TI Successful **treatment** of itching and atopic eczema by transcutaneous nerve stimulation.

L7 ANSWER 3 OF 6 MEDLINE on STN

TI **Treatment of chronic skin ulcers** by a proteolytic enzyme-antibiotic preparation.

L7 ANSWER 4 OF 6 MEDLINE on STN

TI ENZYMATIC **TREATMENT OF CHRONIC SKIN ULCERS.**

L7 ANSWER 5 OF 6 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI PROPERTIES AND USES OF BIOBRANE.

L7 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN

TI Progranulin is a mediator of the wound response

=> d ab bib 1-6

L7 ANSWER 1 OF 6 MEDLINE on STN

AB Annually, 1.25 million individuals suffer burns in the United States and 6.5 million experience **chronic skin ulcers**, often from diabetes, pressure or venous stasis. Growth factors are essential mediators of wound repair, but their success as therapeutics in wound **treatment** has, so far, been limited. Therefore, there is a need to identify new wound-response regulatory factors, but few have appeared in recent years. Progranulin (also called granulin or epithelin precursor, acrogranin or PC-derived growth factor) is a growth factor involved in tumorigenesis and development. **Peptides** derived from progranulin have been isolated from inflammatory cells, which led to suggestions that progranulin gene products are involved in the wound response, but this remains undemonstrated. We report that in murine transcutaneous puncture wounds, progranulin mRNA is expressed in the inflammatory infiltrate and is highly induced in dermal fibroblasts and endothelia following injury. When applied to a cutaneous wound, progranulin increased the accumulation of neutrophils, macrophages, blood vessels and fibroblasts in the wound. It acts directly on isolated dermal fibroblasts and endothelial cells to promote division, migration and the formation of capillary-like tubule structures. Progranulin is, therefore, a probable wound-related growth factor.

AN 2003053690 MEDLINE

DN PubMed ID: 12524533

TI Progranulin is a mediator of the wound response.

AU He Zhiheng; Ong Colin H P; Halper Jaroslava; Bateman Andrew

CS Division of Experimental Medicine, McGill University, and Endocrine Research Laboratory, Royal Victoria Hospital, Montreal, Quebec, Canada.

NC CA71023 (NCI)

SO Nature medicine, (2003 Feb) 9 (2) 225-9. Electronic Publication: 2003-01-13.

Journal code: 9502015. ISSN: 1078-8956.

CY United States

DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200305
ED Entered STN: 20030204
Last Updated on STN: 20030513
Entered Medline: 20030509

L7 ANSWER 2 OF 6 MEDLINE on STN

AB Low-frequency (2 Hz) transcutaneous electrical nerve stimulation (TNS) may produce prolonged and widespread sympatho-inhibition resulting in improved skin microcirculation with increased skin temperature in patients with peripheral vascular insufficiency. The method has previously been used successfully to improve peripheral circulation in such patients and to accelerate healing of **chronic skin ulcers** of various etiology. The present report deals with healing of atopic eczema and relief of pruritus by low-frequency TNS **treatment** in a patient who was followed for 2 years, the first 8 months with daily recordings of the effects, and then for an additional 16 months during which period TNS only occasionally was used. TNS also produced increased plasma levels of ACTH, cortisol and vasoactive intestinal polypeptides (VIP). The mechanisms of the favourable clinical effects are discussed.

AN 88046026 MEDLINE

DN PubMed ID: 2890272

TI Successful **treatment** of itching and atopic eczema by transcutaneous nerve stimulation.

AU Bjorna H; Kaada B

CS Rogaland Central Hospital, Stavanger, Norway.

SO Acupuncture & electro-therapeutics research, (1987) 12 (2) 101-12.
Journal code: 7610364. ISSN: 0360-1293.

CY United States

DT (CASE REPORTS)

Journal; Article; (JOURNAL ARTICLE)

LA English

FS Priority Journals

EM 198711

ED Entered STN: 19900305

Last Updated on STN: 19950206

Entered Medline: 19871127

L7 ANSWER 3 OF 6 MEDLINE on STN

AN 67092481 MEDLINE

DN PubMed ID: 6018377

TI **Treatment of chronic skin ulcers** by a proteolytic enzyme-antibiotic preparation.

AU Spencer M C

SO Journal of the American Geriatrics Society, (1967 Mar) 15 (3) 219-23.
Journal code: 7503062. ISSN: 0002-8614.

CY United States

DT Journal; Article; (JOURNAL ARTICLE)

LA English

FS Priority Journals

EM 196704

ED Entered STN: 19900101

Last Updated on STN: 19900101

Entered Medline: 19670413

L7 ANSWER 4 OF 6 MEDLINE on STN

AN 65114997 MEDLINE

DN PubMed ID: 14310347

TI **ENZYMATIC TREATMENT OF CHRONIC SKIN ULCERS.**

AU SPENCER M C

SO JAMA : journal of the American Medical Association, (1965 Jul 26) 193

272-4.

Journal code: 7501160. ISSN: 0098-7484.

CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS OLDMEDLINE; NONMEDLINE
EM 199612
ED Entered STN: 19990716
Last Updated on STN: 19990716
Entered Medline: 19961201

L7 ANSWER 5 OF 6 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN
AB Biobrane is a biosynthetic skin prosthesis, that was developed by Woodroof and Tavis in 1979. It consists of 25 μ thickness silicone membrane with a laminated nylon fabric linked to porcine collagen **peptides**. Biobrane has been commercially available for the **treatment** burn wounds, and for skin and flap donor sites. Biobrane has the following good properties as a skin substitute: 1) good adherence and pain relief; 2) flexibility; 3) control of evaporative water loss; 4) works as a bacterial barrier; 5) good air and water permeability; 6) sterile (nonpyrogenic, nonviral); 7) available and easy to store. Biobrane can be applied to skin and flap donor sites, fresh superficial burns, excised deep burns, meshed, autografted wounds, and to well-debrided deep and **chronic skin ulcers**.

AN 1990:309915 BIOSIS
DN PREV199090028882; BA90:28882
TI PROPERTIES AND USES OF BIOBRANE.
AU MINAKAWA H [Reprint author]; OHURA T
CS DEP PLASTIC SURG, SCH MED, HOKKAIDO UNIV, SAPPORO 060
SO Japanese Journal of Plastic and Reconstructive Surgery, (1990) Vol. 33, No. 4, pp. 311-316.
CODEN: KEGEAC. ISSN: 0021-5228.
DT Article
FS BA
LA JAPANESE
ED Entered STN: 10 Jul 1990
Last Updated on STN: 10 Jul 1990

L7 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
AB Annually, 1.25 million individuals suffer burns in the United States and 6.5 million experience **chronic skin ulcers**, often from diabetes, pressure or venous stasis. Growth factors are essential mediators of wound repair, but their success as therapeutics in wound **treatment** has, so far, been limited. Therefore, there is a need to identify new wound-response regulatory factors, but few have appeared in recent years. Progranulin (also called granulin or epithelin precursor, acrogranin or PC-derived growth factor) is a growth factor involved in tumorigenesis and development. **Peptides** derived from progranulin have been isolated from inflammatory cells, which led to suggestions that progranulin gene products are involved in the wound response, but this remains undemonstrated. We report that in murine transcutaneous puncture wounds, progranulin mRNA is expressed in the inflammatory infiltrate and is highly induced in dermal fibroblasts and endothelia following injury. When applied to a cutaneous wound, progranulin increased the accumulation of neutrophils, macrophages, blood vessels and fibroblasts in the wound. It acts directly on isolated dermal fibroblasts and endothelial cells to promote division, migration and the formation of capillary-like tubule structures. Progranulin is, therefore, a probable wound-related growth factor.

AN 2003:83027 CAPLUS
DN 138:348997
TI Progranulin is a mediator of the wound response
AU He, Zhiheng; Ong, Colin H. P.; Halper, Jaroslava; Bateman, Andrew
CS Division of Experimental Medicine, Royal Victoria Hospital and Endocrine

Research Laboratory, Montreal McGill University, Montreal, QC, Can.
SO Nature Medicine (New York, NY, United States) (2003), 9(2), 225-229
CODEN: NAMEFI; ISSN: 1078-8956
PB Nature Publishing Group
DT Journal
LA English
RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT .